Install AmyUni PDF Driver

To install the PDF drivers, you need to run the PDF Install program and then make sure it was assigned to an empty PDF Port.

Install PDF Drivers

To install the PDF drivers, open windows explorer, go to folder BASE on your network drive, and find INSTALL (application file) and click on it.

🔁 BASE X	+		_	U ^
⊕ New × 🔏 🗘 🗋	▲]	\equiv View \cdot		
\leftarrow \rightarrow \checkmark \uparrow \square > This PC > N	New Volume (P:) > BASE >	~ (Search BASE	م
zhanna	Name ^	Date modified 10/15/2016 5:26 AM	Type Microsoft Visual F	Size I KB
0- 20 	I HTML.FPT	10/15/2016 5:54 AM	Microsoft Visual F	38 KB
o zipped	🖫 icon.bat	11/5/2001 5:16 PM	Windows Batch File	1 KB
ZIPTRON	ICONCOPY.BAT	11/5/2001 5:16 PM	Windows Batch File	1 KB
TIPTRON1	e il0111.txt	2/15/2002 8:37 AM	Text document	17 KB
a ZIPTRON2	e il1707.txt	8/30/2017 3:43 PM	Text document	15 KB
DEMO.zip	image.jpg	5/20/2015 10:43 AM	JPG File	25 KB
- New Volume (G:)	induoils.jpg	11/29/2017 10:45 AM	JPG File	9 KB
	🐬 Install.exe	6/1/2015 10:06 AM	Application	1,627 KB
- New Volume (H:)	📓 install.ini	9/21/2012 11:38 AM	Configuration sett	1 KB
New Volume (K:)	Install.log	4/3/2023 6:16 AM	Text Document	2 KB
- New Volume (N:)	irpsys.MEM	6/24/2004 11:01 AM	MEM File	1 KB
- New Volume (0:)	JASPER.DOC	5/11/2002 10:10 AM	Microsoft Word 9	1 KB
Rew Volume (P:)				
3,024 items 1 item selected 1.58 MB				

Figure 1 Find Install.exe and click on it to run the install.

In the example above, my network drive is the P drive, I am in the BASE folder, Install.exe is highlighted, and click to run the program.

Configure AmyUni Printer Port

The program will install and now you have to configure the port with the instructions below.

Go to control panel and select Devices and printers.

🛱 Administrative Tools	AutoPlay	🐌 Backup and Restore (Windows 7)	🗱 BDE Administrator (32-bit)	RitLocker Drive Encryption
💶 Color Management	Credential Manager	Pate and Time	Default Programs	📇 Device Manager
To Devices and Printers	🛄 Display	Sase of Access Center	File Explorer Options	File History
🖌 Flash Player (32-bit)	A Fonts	•4 HomeGroup	🔏 Indexing Options	🐑 Internet Options
🔬 Java (32-bit)	🔤 Keyboard	😒 Language	Mail (32-bit)	Mouse
🗿 Nero BurnRights 10 (32-bit)	🚆 Network and Sharing Center	🛃 NVIDIA Control Panel	🛒 Personalization	Phone and Modem
Power Options	Programs and Features	🔊 Realtek HD Audio Manager	Recovery	🔊 Region
🐻 RemoteApp and Desktop Connections	陀 Security and Maintenance	Sound 1	Speech Recognition	Storage Spaces
Sync Center	🕎 System	Taskbar and Navigation	Troubleshooting	all User Accounts
📾 Windows Defender	Windows Firewall	Work Folders		

Now click on the AmyUni Printer.



Click on the option above that says Printer.

ic 🚍 Amyu Printer D	ni PDF Converter Pocument View			- 🗆 X	
Conr Set A Print 2+ Upda Paus ti Canc	ect s Default Printer ng Preferences te Driver e Printing el All Documents	Status Owner	Pages Size	Submitted	Speakers (Realte High Definition Audio)
From the Printer drop Properties.	Amyuni PDF Convert iri Printer Document Vi Document Name Comment Name Comment Name Comment Signature NYUNIT NYU	PDF Converter Properties maring Ports Advanced C Annyuni PDE Converter t: 	Owner Pages Size Owner Pages Size olor Management Security About. Poper available: Letter Small Tabloid Letger Legga rences Print Test Pag OK Cancel	Submitted Submitted	down menu, select

No click on the tab above that says Ports.



If you see a port named NUL1 then make sure it has a checkbox and you are done.

If not then click on Add Port.

Standard TCP/IP Port	ting		
New Port Type	New Por	rt Cancel	
PORTP Local Port	Microsoft	XPS Document Write	
] C:\Pro Local Port] NUL: Local Port	Snaglt 8 Amyuni Pl	DF Converter	~
Add Port	Delete Port	Delete Port Configure Port	
Add Port Enable bidirectional suppor Enable printer pooling	Delete Port	Configure Port	

Select Local Port and click on the button that says New Port.

L	Port Name		×
St	Enter a port name:		ОК
	nul1		Cancel
	New Port Type	New Po	rt Cancel
	New Port Type	NEWFO	Cancer
P	ORTP Local Port	Microsoft	XPS Document Write
	Nro Local Port	Snaglt 8	
	UL: LOCALPOR	Amyuni Pi	DF Converter
Add Port Del		Delete Port	Configure Port
12	11.12P.0.1	2	
Ena	ble bidirectional suppor	t	

It says enter Port Name, type in NUL1. That click on the Close button.

The NUL1 port should display with a check mark. If not, put a check mark on it.

Now click on button Apply (below).

Now click on button OK (below).

Not close the windows and test the program by trying to email 1 invoice from the invoice inputer program.